

**CZC AUTO Hitch Tightener, Heavy Duty Anti-Rattle Stabilizer for 1.25" and 2" Hitches, Reduce Movement from Hitch Tray Cargo Carrier Bike Rack Trailer Ball Mount, Rust Free (1 Pack, Carbon Steel)  
Review-2021**



[Read Customer Reviews](#)

CZC AUTO hitch tightener equipped with heavy duty 0.4" U-bolt and 0.28" thick black powder coated plate anti-rattle stabilizer, can undertake all weather condition, rust free.

Reduce rattle and movement for hitch tray, cargo carrier, bike rack, trailer ball mount with brands curt,highland, goplus, pro series, rola, yakima, thule, etc. Can help to decrease noise and give you a quiet world when towing.

This tow clamp is perfect for locking 1.25" and 2" hitches, compatible with most hitches classes I, II, III, and IV (1, 2, 3 and 4). Suitable for trailer truck SUV sedan RV camper van and minivan.

Easy to install, after insert the tube, lock them directly by U-bolt and plate, put on original spring washers, flat washers and fasten by nuts, then done. If the hitch is low, and there is a risk for U-Bolt to scrap ground, lock the tightener from the bottom.

New arrival with very good price for only 1 month. Do not miss this price in hesitation. Please feel free to contact us at first if there is any problem when you receive or use our products. We are always here to support you.CZC AUTO Hitch Tightener, Heavy Duty Anti-Rattle Stabilizer for 1.25" and 2" Hitches, Reduce Movement from Hitch Tray Cargo Carrier Bike Rack Trailer Ball Mount, Rust Free 1 Pack

Specifications

Quantity: 1 Pack.

Thickness: U-bolt 0.4", plate 0.28"

Material: Steel, Rust free

Maximum available size: 2"x2.5"

CZC AUTO Hitch Tightener for 1.25" and 2" Hitches

Features for CZC AUTO hitch tightener

Use CZC AUTO hitch tightener, give you a quiet world when towing.

Reduce rattle and movement for hitches

Thick black powder coated plate, rust free.

0.4" U-bolt and 0.28" thick plate, heavy duty.

Perfect for locking 1 1/2" and 2" hitches

Easy to install

Package Includes

1x U-bolt

1x Plate

2x Spring washers

2x Flat washers

2x Nuts

1x Manual

Fitment type

Use for hitch tray, cargo carrier, bike rack, trailer ball mount, compatible with most hitches classes I, II, III, and IV (1, 2, 3 and 4)

Easy to install

After insert the tube, lock them directly by U-bolt and plate, put on original spring washers, flat washers and fasten by nuts, then done

Usage Suggestions

If the clearance between the hitch and the ground is small, and there is a risk for U-Bolt to scrap ground, lock the tightener from the bottom.

Expandable hitch cargo bag 9.5 to 11.6 cu.ft

Hitch cargo bag 20 cu.ft

Hitch tightener for 1.25" and 2" hitch

Hitch tightener for 1.25" and 2" hitch, 2 packs

Cargo net 22"x38"

Main material

500x500D PVC Tarpaulin

500x500D PVC Tarpaulin

Metal

Metal

3/16" thick premium latex bungee

Size

48"x19"x18"H - 22"H

60"x24"x24"

22"x38"

Capacity

9.5 to 11.6 cu.ft

20 cu.ft

Fit for 1.25" and 2" hitches

Fit for 1.25" and 2" hitches

Stretch to 44"x76"

Application

Hitch basket or tray storage

Hitch basket or tray storage

Hitch tightener

Hitch tightener

Cargo net Review 2021, feedback 2021, promo code, discount code 2021, buy, picture, description, sale, price comparison, cheap, cheapest, value for money.